OUR ROADS WILL CONVERGE WITH YOURS





WE ARE ON THE ROADS

For a cleaner world

NEW IDEAS AND CHANGING NEEDS ARE

EXCITING FOR US

Since 2011 we have been a driving force in electric energy for achieving a cleaner world.

Our reason for existence is to be a leader of technological design and sustainability in business and city life. Our cars generate their energy from electricity and we generate our energy from producing solutions towards changing the world.

With our comprehensive design and R&D studies, we produce PILOTCAR vehicles with superior care and hard work through integrated production lines in our own facilities.

With the experience we have gained since our establishment we have produced thousands of electric vehicles, such as golf carts, service carts, vans, ambulance vehicles and gastrocars. You can easily integrate these vehicles in your everyday life.

We are excited by new ideas and changing needs, so we can design and manufacture our cars exactly to your demands and desires. We have production facilities in Turkey and the United States, offices in Germany and Bulgaria, dozens of engineers and an extensive service network. With our customers' passion for PILOTCAR, we continue to grow and gain mileage with each passing day.



THE WORLD SHOULD STAY YOUNG LIKE US!

SUSTAINABLE LIFE

PILOTCAR is developed in such a way that, while offering you practical solution in your daily work and social life; at the same time it is responsive for the environment which we are a part of. It is an important actor of the concept of sustainable life which is necessary for all living things.

"o" EMISSION

For protecting the environment and a more livable world, PILOTCAI manufactures only 100% Electric Vehicles.

WHY PILOTCAR?

Our choices that change within the axis of developing technology ar transforming life standards, promotes us to use Electric Vehicles.







LUXURY AND COMFORT

PILOTCAR brings luxury, comfort and serenity along with a practicality that makes life easier.

Designed specifically for your needs, it promises you a quality ride.






POWER OF DESIGN

If you live for passion and adrenaline it will meet your expectations For those who love to explore in the most challenging conditions...







POWER

ELECTRIC-48 V (AC)

Motor Power

-4 kW (5.44 hp) Rated 9.6 kW (13 hp) Peak

AC

-6 kW (8.20 hp) Rated 12.46 kW (16.95 hp) Peak

Lead-Acid Battery Package 6x8V (8.16 kWh) **Battery** Lithium Battery Package (10.8 kWh) Lead-Acid Battery Package DELTA-Q QuiQ 1000 Onboard Charge Unit 110-220 VAC@8 1A/48V **Charge Unit** Lithium Battery Package 3.3 kW Onboard Charge Unit

Motor Control Unit AC

CURTIS (350 A-450 A)

85-265 VAC@16A 40A/48V

STEERING & SUSPENSION SYSTEM

Steering	Self-compensating double reduction helical rack-and-pinion
Suspension Front	Fully independent McPherson style strut suspension
Suspension Rear	Semi independent, swing arm with coil springs over hy- draulic shock absorbers

BRAKE SYSTEM

Service Brake	Self adjusting mechanical, rear wheel drum brakes and regenerative braking Option: 4-wheel hydraulic drum brake system
Parking Brake	Foot actuated multi-lock parking brake

BODY & CHASSIS

Body	Naturally colored Thermoplastic AB White, Midnight Blue, Red, Blaci
Chassis	Automotive style steel frame with high corrosion resistance Sanding /E-coating/ Static Wet Pain

GENERAL Curb Weight

Lead-Acid Battery Package 470 kg *

Lithium Battery Package

	402 Kg
Passenger Capacity	1+1 Passenger 1+3 Passenger
Load Capacity	400 kg
Tow Capacity	500 kg
Tyre Dimensions	18 x 8.5-8 (6 ply) 20.5 x 8-10 (6 ply) 22 x 9.50-10 Off-Road Tyre**

^{*} Standart Vehicle w/ batteries

PERFORMANCE

Range Lead-Acid Battery Packar 60 km Lithium Battery Packar 90 km Max. Gradeability Charge Time Lead-Acid Battery Packar 80% - 6 h 100% - 8 h Lithium Battery Packar 80% - 4 h 100% - 6 h	Max. Forward Speed	24 km/h - 40 km/h
Charge Time Lead-Acid Battery Package 80% - 6 h 100% - 8 h Lithium Battery Package 80% - 4 h 100% - 6 h		8 km/
Max. Gradeability Charge Time Lead-Acid Battery Packag 80% - 6 h 100% - 8 h Lithium Battery Packag 80% - 4 h 100% - 6 h	Range	Lead-Acid Battery Packag 60 km
Charge Time Lead-Acid Battery Packag 80% - 6 h 100% - 8 h Lithium Battery Packag 80% - 4 h 100% - 6 h		Lithium Battery Packag 90 km
80% - 6 h 100% - 8 h Lithium Battery Packag 80% - 4 h 100% - 6 h	Max. Gradeability	25
80% - 4 h 100% - 6 h	Charge Time	Lead-Acid Battery Packag 80% - 6 hı 100% - 8 hı
Turning Radius 3		Lithium Battery Packag 80% - 4 hı 100% - 6 hı
	Turning Radius	31

^{*} Adjustable

DIMENSIONS

Standart Vehicle w/o Options

Length	2395 mm
Width	1215 mm
Height	1965 mm 1200 mm
Wheelbase	1640 mm
Ground Clearance	110 mm

^{*} w/ Suntop ** w/o Suntop

WARRANTY

Warranty

2 years full warranty (Less wearable items) 5 years limited warranty (Motor and motor control unit) 70% performance @ min.2500 cycles for lithium battery package

^{**} Only applied w/ lift kit option

[&]quot; EU: 134/2014







STAND OUT FROM YOUR NEIGHBOUR

Be prepared to be seen with envy because we're pretty cool. Splendor and performance are our business.

PILOTCAR always impresses.






IT'S TIME TO DISCOVER

When you get behind the wheel you will experience enhanced grip, ergonomic design, high maneuverability and durability, as well as easy access to spare parts and maintenance.

This is exactly what PILOTCAR was made for.







POWER

ELECTRIC-48 V (AC)

Motor Power

-4 kW (5.44 hp) Rated 9.6 kW (13 hp)Peak -6 kW (8.20 hp) Rated 12.46 kW (16.95 hp) Peak -10 kW (13.60 hp) Rated 22.43 kW (30.50 hp) Peak

AC

Lead-Acid Battery Package 8x6V (11.52 kWh) Lithium Battery Package (10.8 kWh) **Battery**

Lead-Acid Battery Package DELTA-Q QuiQ 1000 Onboard Charge Unit 110-220 VAC@8 1A/48V

Charge Unit Lithium Battery Package 3.3 kW Onboard Charge Unit 85-265 VAC@16A 40A/48V

AC **Motor Control Unit**

CURTIS (350 A-600 A)

STEERING & SUSPENSION SYSTEM

Steering	Self-compensating double reduction helical rack-and-pinion
Suspension Front	Fully independent McPherson style strut suspension
Suspension Rear	Semi independent, swing arm with coil springs over hydraulic shock absorbers

BRAKE SYSTEM

Service Brake	Self adjusting mechanical, rear wheel drum brakes and regenerative braking Option: 4-wheel hydraulic drum brake system
Parking Brake	Foot actuated multi-lock parking brake

BODY & CHASSIS

Body	Naturally colored Thermoplastic ABS White, Midnight Blue, Red, Black
Chassis	Automotive style steel frame with high corrosion resistance Sanding /E-coating/ Static Wet Paint

* Standart Vehicle w/ batteries

PERFORMANCE

Max. Forward Speed	24 km/h - 45 kr
Max. Reverse Speed	8 k
Range	Lead-Acid Battery Pack 80 k
	Lithium Battery Pack 80 k
Max. Gradeability	
Charge Time	Lead-Acid Battery Pack 80% - 7 100% - 9
	Lithium Battery Pack 80% - 4 100% - 6
Turning Radius	4
* Adjustable	

DIMENSIONS

GENERAL

Curb Weight

Passenger Capacity

Load Capacity

Tow Capacity

Tyre Dimensions

Standart Vehicle w/o Options

Length	3240 mm
Width	1215 mm
Height	1925 mm 1200 mm*
Wheelbase	2480 mm
Ground Clearance	110 mm

^{*} w/ Suntop ** w/o Suntop

WARRANTY

Warranty

2 years full warranty (Less wearable items) 5 years limited warranty (Motor and motor control unit) 70% performance @ min.2500 cycles for lithium battery package

Lead-Acid Battery Package

Lithium Battery Package

645 kg *

510 kg *

600 kg

1000 kg

1+3 Passenger 1+5 Passenger

18 x 8.5-8 (6 ply) 20.5 x 8-10 (6 ply)

22 x 9.50-10 Off-Road Tyre**

[&]quot;Only applied w/lift kit option

^{**} EU: 134/2014







WITHIN THE LIFE

PILOTCAR offers you practical solutions in your daily work and social life; at the same time, it is developed to be sensitive to the environment we are part of.






UNPARALLELED QUALITY

PILOTCAR reflects safe and quality design technology, as well as sales. We also prioritize after-sales maintenance services.







POWER ELECTRIC-48 V (AC)

Motor Control Unit

Motor Power

	-6 kW (8.20 hp) Rated 12.46 kW (16.95 hp) Peak
	-10 kW (13.60 hp) Rated 22.43 kW (30.50 hp) Peak
Battery	Lead-Acid Battery Package 8x6V (11.52 kWh) Lithium Battery Package (10.8 kWh)
Charge Unit	Lead-Acid Battery Package DELTA-Q QuiQ 1000 Onboard Charge Unit 110-220 VAC@8 1A/48V
Charge Offic	Lithium Battery Package 3.3 kW Onboard Charge Unit 85-265 VAC@16A 40A/48V

CURTIS (450 A-600 A)

STEERING & SUSPENSION SYSTEM

Steering	Self-compensating double reduction helical rack-and-pinion
Suspension Front	Fully independent McPherson style strut suspension
Suspension Rear	Semi independent leaf springs w/dual hydraulic shocks

BRAKE SYSTEM

Service Brake	Self adjusting mechanical, rear wheel drum brakes and regenerative braking Option: 4-wheel hydraulic drum brake system
Parking Brake	Foot actuated multi-lock parking brake Option: Flectromagnetic parking brake

BODY & CHASSIS

Body	Naturally colored Thermoplastic ABS White
Chassis	Automotive style steel frame with high corrosion resistance Sanding /E-coating/ Static Wet Paint

GENERAL

Curb Weigh

nt	Lead-Acid Battery Package
	746 kg *
	Lithium Pattory Packago

	OII kg
Passenger Capacity	1+5 Passenger 1+7 Passenger
Load Capacity	800 kg
Tow Capacity	1500 kg
Tyre Dimensions	20.5 x 8-10 (6 ply)

^{*} Standart Vehicle w/ batteries

PERFORMANCE

Max. Forward Speed	24 km/h - 35 km/
Max. Reverse Speed	8 km.
Range	Lead-Acid Battery Packag 80 km
	Lithium Battery Packaq 80 km
Max. Gradeability	25
Charge Time	Lead-Acid Battery Packaç 80% - 7 h 100% - 9 h
	Lithium Battery Packaç 80% - 4 h 100% - 6 h
Turning Radius	5.6

^{*} Adjustable

DIMENSIONSStandart Vehicle w/o Options

Length	4050 mm
Width	1225 mm
Height	2000 mm [*] 1220 mm ^{**}
Wheelbase	3320 mm
Ground Clearance	143 mm

^{*} w/ Suntop

WARRANTY

Warranty

2 years full warranty (Less wearable items) 5 years limited warranty (Motor and motor control unit) 70% performance @ min.2500 cycles for lithium battery package

^{**} EU: 134/2014

^{**} w/o Suntop







PRACTICAL SOLUTIONS

With a wide range of functional equipment and accessories, PILOTCAR fits your lifestyle.

You are always one step ahead of your competitors.





PROVEN ENDURANCE

PILOTCAR, which is produced through our extensive design and R&D process, is always the most powerful.

It runs from city life to suburban life, from hotel usage to university campuses, and everything in between.






BE DIFFERENT

A PILOTCAR made to your requirements can help lead you to success. Simply let us know your requests, and leave the rest to our PILOTCAR engineers.







POWER

ELECTRIC-48 V (AC)

Motor Power AC

> -6 kW (8.20 hp) Rated 12.46 kW (16.95 hp) Peak -10 kW (13.60 hp) Rated 22.43 kW (30.50 hp) Peak

Lead-Acid Battery Package 8x6V (11.52 kWh) Lithium Battery Package (10.8 kWh) **Battery**

Lead-Acid Battery Package DELTA-Q QuiQ 1000 Onboard Charge Unit 110-220 VAC@8 1A/48V

Charge Unit Lithium Battery Package 3.3 kW Onboard Charge Unit 85-265 VAC@16A 40A/48V

Motor Control Unit AC

CURTIS (450 A-600 A)

STEERING & SUSPENSION SYSTEM

Steering	Self-compensating double reduction helical rack-and-pinion
Suspension Front	Fully independent McPherson style strut suspension
Suspension Rear	Semi independent leaf springs w/dual hydraulic shocks

BRAKE SYSTEM

Parking Brake	regenerative braking Option: 4-wheel hydraulic drum brake system
	Foot actuated multi-lock parking brake Option: Electromagnetic parking brake

BODY & CHASSIS

Body	Naturally colored Thermoplastic ABS White
Chassis	Automotive style steel frame with high corrosion resistance Sanding /E-coating/ Static Wet Paint

GENERAL

Curb Weight Lead-Acid Battery Package

Lithium Battery Package 526 kg *

Passenger Capacity	1+1 Passenger
Load Capacity	800 kg
Tow Capacity	1500 kg
Tyre Dimensions	20.5 x 8-10 (6 ply)

^{*} Standart Vehicle w/ batteries

PERFORMANCE

Max. Forward Speed	24 km/h - 35 km
Max. Reverse Speed	8 kn
Range	Lead-Acid Battery Packa 80 kr
	Lithium Battery Packa 80 kr
Max. Gradeability	
Charge Time	Lead-Acid Battery Pack 80% - 7 100% - 9
	Lithium Battery Packa 80% - 4 100% - 6
Turning Radius	4.

^{*} Adjustable

DIMENSIONS

Standart Vehicle w/o Options

Length	3640 mm
Width	1310 mm
Height	1950 mm* 1220 mm**
Wheelbase	2500 mm
Ground Clearance	143 mm

^{*} w/ Suntop ** w/o Suntop

WARRANTY

Warranty

2 years full warranty (Less wearable items) 5 years limited warranty (Motor and motor control unit) 70% performance @ min.2500 cycles for lithium battery package

^{**} EU: 134/2014








BE ON THE SAFE SIDE

PILOTCAR is always the fastest when emergency action is required.

With its easy and practical use, speed and maneuverability, it is the best in emergency medical assistance.

PC-A



POWER ELECTRIC-48 V (AC)

Motor Power

-4 kW (5.44 hp) Rated 9.6 kW (13 hp) Peak

AC

-6 kW (8.20 hp) Rated 12.46 kW (16.95 hp) Peak

Lead-Acid Battery Package 6x8V (8.16 kWh) **Battery** Lithium Battery Package (10.8 kWh)

> Lead-Acid Battery Package DELTA-Q QuiQ 1000 Onboard Charge Unit 110-220 VAC@8 1A/48V

Lithium Battery Package 3.3 kW Onboard Charge Unit 85-265 VAC@16A 40A/48V

AC **Motor Control Unit**

CURTIS (350 A-450 A)

STEERING & SUSPENSION SYSTEM

Steering	Self-compensating double reduction helical rack-and-pinion
Suspension Front	Fully independent McPherson style strut suspension
Suspension Rear	Semi independent, swing arm with coil springs over hy- draulic shock absorbers

BRAKE SYSTEM

Service Brake	Self adjusting mechanical, rear wheel drum brakes and regenerative braking Option: 4-wheel hydraulic drum brake system
Parking Brake	Foot actuated multi-lock parking brake Option: Electromagnetic parking brake

BODY & CHASSIS

воау	Naturally colored Thermoplastic ABS White
Chassis	Automotive style steel frame with high corrosion resistance Sanding /E-coating/ Static Wet Paint

GENERAL

Passenger Capacity

Tyre Dimensions

Curb Weight Lead-Acid Battery Package 561 kg *

Lithium Battery Package 492 kg *

18 x 8.5-8 (6 ply) 20.5 x 8-10 (6 ply)

1+1 Passenger

	Stretcher
Load Capacity	300 kg
Tow Capacity	

PERFORMANCE

Max. Forward Speed	24 km/h - 30 km/h
Max. Reverse Speed	8 km/
Range	Lead-Acid Battery Packag 60 km
	Lithium Battery Packag 90 km
Max. Gradeability	255
Charge Time	Lead-Acid Battery Packag 80% - 6 hr 100% - 8 hr
	Lithium Battery Packag 80% - 4 hr 100% - 6 hr
Turning Radius	3 r

^{*} Adjustable

DIMENSIONS

Standart Vehicle w/o Options

Length	2775 mm
Width	1360 mm
Height	2015 mm* 1200 mm**
Wheelbase	1640 mm
Ground Clearance	110 mm

^{*} w/ Suntop ** w/o Suntop


WARRANTY

Warranty

2 years full warranty (Less wearable items) 5 years limited warranty (Motor and motor control unit) 70% performance @ min.2500 cycles for lithium battery package

^{*} Standart Vehicle w/ batteries

^{**} EÚ: 134/2014







For those who need specially designed vehicles compatible for their age or physical condition PILOTCAR PC-H was produced. Even the smallest details were taken into consideration.

A PC-H with a wheelchair integrated structure will improve your quality of life.





POWER ELECTRIC-48 V (AC)

Motor Power

-6 kW (8.20 hp) Rated 12.46 kW (16.95 hp) Peak -10 kW (13.60 hp) Rated 22.43 kW (30.50 hp) Peak Lead-Acid Battery Package 8x6V (11.52 kWh) Lithium Battery Package (10.8 kWh) **Battery** Lead-Acid Battery Package DELTA-Q QuiQ 1000 Onboard Charge Unit 110-220 VAC@8 1A/48V **Charge Unit** Lithium Battery Package 3.3 kW Onboard Charge Unit 85-265 VAC@16A 40A/48V

Motor Control Unit AC

CURTIS (450 A-600 A)

AC

STEERING & SUSPENSION SYSTEM

Steering	Self-compensating double reduction helical rack-and-pinion
Suspension Front	Fully independent McPherson style strut suspension
Suspension Rear	Semi independent leaf springs w/dual hydraulic shocks

BRAKE SYSTEM

Service Brake	Self adjusting mechanical, rear wheel drum brakes and regenerative braking Option: 4-wheel hydraulic drum brake system
Parking Brake	Foot actuated multi-lock parking brake

BODY & CHASSIS

Body	Naturally colored Thermoplastic ABS White
Chassis	Automotive style steel frame with high corrosion resistance Sanding /E-coating/ Static Wet Paint

PERFORMANCE

Max. Forward Speed	24 km/h - 35 km
Max. Reverse Speed	8 km
Range	Lead-Acid Battery Packa 80 kr
	Lithium Battery Packa 80 kr
Max. Gradeability	2
Charge Time	Lead-Acid Battery Pack 80% - 7 100% - 9
	Lithium Battery Packa 80% - 4 100% - 6
Turning Radius	5.6

GENERAL

Curb Weight	Lead-Acid Battery Package 737 kg *
	Lithium Battery Package 602 kg *
Passenger Capacity	1+3 Passenger 1+5 Passenger Wheelchair
Load Capacity	700 kg
Tow Capacity	1500 kg
Tyre Dimensions	20.5 x 8-10 (6 ply)

^{*} Standart Vehicle w/ batteries

DIMENSIONS

Standart Vehicle w/o Options

Length	4050 mm
Width	1285 mm
Height	2000 mm* 1220 mm**
Wheelbase	3320 mm
Ground Clearance	143 mm

^{*} w/ Suntop

WARRANTY

Warranty

2 years full warranty (Less wearable items) 5 years limited warranty (Motor and motor control unit) 70% performance @ min.2500 cycles for lithium battery package

^{*} Adjustable ** EU: 134/2014

^{**} w/o Suntop































Driver Protection Steel Plate







































Golf Type Seat - Mocha Brown













Lift Kit



On-road Tyres & 8" Aluminum Wheels















Turf Tyres

Closed Cargo Box

Off-road Tyres & Wheels



Golf Basket and Bag Holder





Golf Bag Enclosure







BODY	PC-2	PC-4	PC-6	PC-W	PC-A	РС-Н
Suntop	~	~	~	~	~	~
Extended Suntop (1)	~	~				
Security Glass Windshield	~	~	~	~	~	~
Polycarbon Foldable Windshield	✓	~	~	~	~	~
Rear View Mirrors	~	~	~	~	~	~
Side View Mirrors	~	~	~	~	~	~
Windshield Wiper (2)	~	~	~	~	~	~
Windshield Wash System (3)	~	~	~	~	~	~
Foldable Rear Seat	~	~	~			~
Thermoplastic Cargo Box	~	~	~			~
Aluminum Cargo Box	~	~	~			~
Sport Steering Wheel	~	~	~	~	~	~
Facelift Front Body	~	~	~	~	~	~
Driver Protection Steel Plate				~		
Stretcher					~	
CARGO	PC-2	PC-4	PC-6	PC-W	PC-A	РС-Н
3-Side Open Aluminum Cargo Box				~		
Closed Cargo Box				~		
Mesh Style Sided Steel Cargo Box				~		
Gastrocar				~		

TECHNOLOGY & SAFETY	PC-2	PC-4	PC-6	PC-W	PC-A	РС-Н
Standard LED Lighting System	~	~	~	~	~	✓
Halogen Driving Lights ⁽⁴⁾	~	~	~	~	~	✓
LED Driving Lights ⁽⁵⁾	~	~	~	~	~	~
Additional Auxillary LED Light	~	~	~	~	~	~
Digital Vehicle-Info Screen (6)	~	~	~	~	~	~
LED Beacon Light - Amber	~	~	~	~		✓
LED Beacon Light - Red - Blue	~	~	~	~		~
Waterproof Stereo-System	~	~	~	~		~
Fire Extinguisher	~	~	~	~	~	✓
USB 12V Input	~	~	~	~	~	✓
Charger with External Display	~	~	~	~	~	✓
External Heater	~	~	~	~	~	✓
Automatic Battery Watering System	~	~	~	~	~	✓
Lithium Battery Package	~	~	~	~	~	~
SEAT	PC-2	PC-4	PC-6	PC-W	PC-A	РС-Н
Golf Type Seat - Carbon Black	~	~	~	~		~
Golf Type Seat - Mocha Brown	~	~	~	~		~
Golf Type Seat - Tobacco Colored	~	~	~	~		~
Premium Seat - Carbon Black ⁽⁷⁾	~	~	~	~	~	~
Premium Seat - Tobacco Colored ⁽⁷⁾	~	~	~	~	~	~
Premium Seat - Claret Red ⁽⁷⁾	~	~	~	~		✓

OFF-ROAD EQUIPMENT	PC-2	PC-4	PC-6	PC-W	PC-A	РС-Н
Lift Kit	~	~		~		
Front Brush Guard	~	~	~	~	~	~
Side Step (8)	~	~		~		
Tow-hitch (9)	~	✓	~	~		~
GOLF EQUIPMENT	PC-2	PC-4	PC-6	PC-W	PC-A	РС-Н
Golf Basket and Bag Holder	~					
Cool Box	~					
Sand Box	~					
Golf Bag Enclosure	~					
TYRES & WHEELS	PC-2	PC-4	PC-6	PC-W	PC-A	РС-Н
On-road Tyres & 8" Aluminum Wheels	~	~			~	
On-road Tyres & 10" Aluminum Wheels	~	~	~	~	~	~
Off-road Tyres & Wheels (10)	~	~		~		
Turf Tyres	~	~			~	

INFORMATION ABOUT OPTIONS

- 1- Extended Suntop Only Applied w/ Rear Foldable Seat
- 2- Windshield Wiper Only Applied w/ Security Glass Windshield.
- 3- Windshield Wash System Only Applied w/ Facelift Front Body
- 4- Halogen Driving Lights w/ LED DRL (Daytime Running Lights).
- 5- **LED Driving Lights** w/ LED DRL (Daytime Running Lights)
- 6- Digital Vehicle-Info Screen Only Applied w/ Lighting System
- 7- Premium Seat w/ 2-point seatbelt
- 8- Side step Only applied w/ lift kit.
- 9- **Tow-hitch** Not applied w/ foldable rear seat option
- 10- Off-road Tyres & Wheels Only applied w/ lift kit.

PILOTCAR reserves the right to make changes to this table.



OUR INNOVATIONS TURNS

INTO OUR HABITS

If you are going to add an innovation to your life; all details of it should be thought and designed.

Each one of the "PILOTCAR" we have manufactured since the year of 2011, is manufactured as taking high technology, advanced engineering, integrated production, accuracy and particularity as the basis.

To be able to offer you the comfort and matchless quality as a perfectionist engineering work...

"THAT'S WHY PILOTCAR WAS BORN!"



WARRANTY



7/24 Technical support with expert team



5 years limited warranty (Motor and motor control unit)



2 years full warranty (Less wearable items)

TRUST





ISO 14001:2015 ISO 9001:2015 ISO 45001:2018





All vehicles are designed for recreational areas. Please read the user manual carefully.

This catalog is for promotional purposes only, the information provided is subject to change without notice.

AUTHORIZED SERVICES



Dealer and authorized services for Europe and other countries.

www.pilotcar.com.tr





TURKEY FACTORY

Telephone: +90 224 411 02 86 - 87 Fax: +90 224 411 05 34 Address: Nilüfer Organize Sanayi Bölgesi N113 Sokak No: 3 Nilüfer / BURSA-TÜRK YE

e-mail: info@pilotcar.com.tr

USA FACTORY

Telephone: +1 (239) 243 80 23 **Fax:** +1 (239) 349 26 10 **Address:** 16121 Lee Rd. Ste 107 Ft. Myers, FL 33912 USA

e-mail: sales@pilotcarev.com

BULGARIA OFFICE & WAREHOUSE

Telephone: +359 876 20 36 94

Address: Bul. Tsar Bors III Obedinitel No:37 ap.88 PLOVD V (International Fair) BULGARIA

e-mail: sales@pilotcar.com.tr

